

Certificate of Conformity

Product certificate number

No. 230022REC007-CER

Issued to:

Holder:

NingBo Deye Inverter Technology Co., Ltd.

No.26 South YongJiang Road, Dagi, Beilun, NingBo, China

Trademark:

Deye

Manufacturer: NingBo Deye Inverter Technology Co., Ltd.

No.26 South YongJiang Road, Daqi, Beilun, NingBo, China

It is certified that the product:

Type of generating unit: Single Phase Grid-connected PV Inverter

Models SUN-1.5K-G04P1-EU-AM1, SUN-2K-G04P1-EU-AM1, SUN-2.2K-G04P1-EU-AM1,

SUN-2.5K-G04P1-EU-AM1, SUN-2.7K-G04P1-EU-AM1, SUN-3K-G04P1-EU-AM1, SUN-3.3K-G04P1-EU-AM1, SUN-3.6K-G04P1-EU-AM1, SUN-4K-G04P1-EU-AM1.

Technical Data Nominal power See page 2

Nominal voltage L/N/PE; 230 V

Nominal frequency 50 Hz / 60 Hz

Firmware version 6256

Number of phases Single Phase

Isolation Transformer No

Is in compliance with the standards:

IEC 60068-2-1: 2007. "Environmental testing. Part 2-1. Test Ae: Cold"

IEC 60068-2-2: 2007. "Environmental testing. Part 2-2. Test Be: Dry heat"

IEC 60068-2-14: 2009. "Environmental testing. Part 2-14. Test Na Changes of temperature"

IEC 60068-2-30: 2005. "Environmental testing. Part 2-30. Test Db - Variant 2: Damp heat, cyclic (12 h + 12 h)"

This certificate is based upon the test results of the Test Report nº GZES220400692604. This report confirms that one sample of the above-mentioned products has been tested with positive result against the requirements of these IEC standards for environmental conditions.

The above-mentioned generating unit is certified according to the SGS internal process 4 based on the requirements of the UNE-EN ISO/IEC 17065.

First issued on 16th May 2023 This certificate is valid until 16th May 2028

Madrid, 16th May 2023

Daniel Arranz Muñiz Certification Manager







Full list of product references and nominal characteristics:

Model	SUN-1.5K- G04P1	SUN-2K- G04P1	SUN-2.2K- G04P1	SUN-2.5K- G04P1 -EU-AM1				
	-EU-AM1	-EU-AM1	-EU-AM1					
PV Input								
Rated input voltage (V)	360							
MPPT operating voltage range (V)	70~500							
Max. input current (A)	13							
Max. short current (A)	19.5							
AC Output								
Rated AC power (kW)	1.5	2	2.2	2.5				
Max. AC power (kW)	1.65	2.2	2.42	2.75				
Rated AC current (A)	6.5	8.7	9.6	10.9				
Max. AC current (A)	7.2	9.6	10.6	12				

Model	SUN-2.7K- G04P1	SUN-3K- G04P1	SUN-3.3K- G04P1	SUN-3.6K- G04P1	SUN-4K- G04P1		
	-EU-AM1	-EU-AM1	-EU-AM1	-EU-AM1	-EU-AM1		
PV Input	2071111	LO 7 WIT	LO / WIT	LO / WIT	LO AIIII		
Rated input voltage(V)	GEORGE STATE OF THE STATE OF TH	420					
MPPT operating voltage range(V)	70~500						
Max. input current(A)	13						
Max. short current(A)	19.5						
AC Output							
Rated AC power(kW)	2.7	3	3.3	3.6	4		
Max. AC power(kW)	2.97	3.3	3.63	3.96	4.4		
Rated AC current(A)	11.8	13.1	14.4	15.7	17.4		
Max. AC current(A)	13.0	14.4	15.8	17.3	19.2		



